


AquiTron

AT-HDC
Hold Down Clips



DATA SHEET



aquilar
leak detection solutions



AT-HDC

Hold Down Clips


The AT-HDC range of PVC self adhesive clips for use to hold AquiTron and TraceTek sensing and jumper cables in position.

CLIP TECHNICAL INFORMATION

| | |
|------------------------|--|
| Material | PVC, Base self adhesive |
| Colour | Grey only |
| Tolerances | +/- 0.76mm |
| Environment | Indoor / fix on a dry surface |
| Temperature | -29°C to 65°C - Recommended 15°C to 27°C |
| Typical Spacing | 1mtr or at each bend/change of direction |

DIMENSIONS

| PRODUCT CODE | A WIDTH | B LENGTH | C HEIGHT | RATED STATIC LOAD |
|--------------|---------|----------|----------|-------------------|
| TT-HDC-1/2 | 19 | 19 | 14 | - |
| TT-JHDC | 16 | 19 | 14 | - |
| TT-HDC-1/4- | 25 | 38 | 9 | 5 |



GLUE PHYSICAL PROPERTIES

| | |
|---|-----------------------|
| Base | Nitrile Rubber |
| Solvent | Acetone |
| Flash Point of solvent | -15°C |
| Consistency | Medium Syrup |
| Density | 0.88 |
| Viscosity (26°C A3 V10 Brookfield VRF) | 2500 mPa s |
| Colour | Light brown to purple |

Shelf Life

15 months from date of dispatch by 3M when stored in the original carton at 21°C and 50% relative humidity

GLUE PERFORMANCE CHARACTERISTICS

| TIME | TEST METHOD | RESULTS (N/cm) |
|-------------------------------------|-------------|----------------|
| 1 hour at 24°C | C4013 e | 10.8 |
| 96 hour at 24°C | C4013 e | 52.8 |
| 72 hour at 24°C + 24 hours in Water | C4013 f | 58.0 |

STORAGE SPECIFICATONS

Store product between 15°C and 25°C for maximum storage life.

SPECIFICATIONS

Meets the requirements of MMM-a-189C Class 2, AFS 87X and DTD 900/4698

ORDERING INFORMATION

| | |
|-------------------------|--|
| Catalogue number | 2610 TT-HDC-1/4 Hold Down Clips TT1000/3000 (adhesive backs) c/w glue - bag of 50 |
| | 2620 TT-HDC-1/4-200-NA Hold Down Clips TT1000/3000 (adhesive backs) c/w glue - bag of 200 |
| | 2625 TT-HDC-1/4-100/TAG-25 Hold Down Clips TT1000/3000 (adhesive backs) c/w glue (100 pcs) Mapping Tags (25 pcs) |
| | 2630 TT-HDC/TAG Clips/Tags (15/5) TT1000/3000 - clips with adhesive backs (no glue) |
| | 2635 TT-HDC-1/4-200 Hold Down Clips TT1000/3000 - bag of 200 (no glue) |
| | 2638 TT-JHDC-200 Jumper/SIM Comms Cable Hold Down Clips - 200 (no glue) |
| | 3070 TT-HDC-1/2-NA-50 Hold Down Clips for TT5000 / TT5001 c/w glue - bag of 50 |

Important: All information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Aquilar Limited makes no warranty as to the accuracy or completeness of the information, and disclaims any liability regarding its use. The only obligations of Aquilar Limited are those in the Aquilar Standard Terms and Conditions of Sale for this product, and in no case will Aquilar Limited be liable for any incidental, indirect, or consequential damages arising from the sale, resale, use or misuse of the product. Specifications are subject to change without notice. In addition, Aquilar Limited reserves the right to make changes – without notification to Buyer – to processing or materials that do not affect compliance with any applicable specification.