

AquiTron

AT-BEACON-LED
Sounder / Beacon



DATA SHEET



aquilar
leak detection solutions



AT-BCN-A / AT-BCN/SND-A

Sounder / Beacon

The AT-BCN-A and AT-BCN/SND-A LED multifunction beacons and beacon/sounders are suitable for security, process control & industrial applications, where low maintenance and long life are the pre-requisite requirement.

SIMPLE OPERATION

These beacons offer a two stage alarm option, selected by a jumper link on the PCB : Continuous mode, Flashing mode. An advantage of the Continuous mode is that it can be controlled via a remote source (ie. control panel / plc etc) offering the potential of remote flash option. The beacon/sounder version incorporates a piezo buzzer situated in the base of the unit that is synchronised to the flash rate offering a combined audible & visual warning device.

VERSATILE DESIGN



- Continuously rated
- 8 x LEDs. long life and extra bright
- Suitable for surface or wall mounting
- Optional wall bracket & guard available
- 3 point fix 360 degrees light output around the vertical axis Dustproof and Weatherproof
- UV Stable Polycarbonate Amber Lens

APPLICATIONS

The AT-BCN/SND-A can be connected to the volt free outputs of any AquiTron or TraceTek alarm panel to provide additional visual and audible indication of alarm in plant/chiller rooms, service corridors, external areas or anywhere a remote signal may be required.

TECHNICAL INFORMATION

Audible Alarm	80dBA +/- at 1 Meter
Buzzer Frequency	3.1KHz +/- 500Hz
Power supply	230/120Vac, 50/60Hz
Enclosure	UV Stable AB Plastic Base, IP65
Weight	0.14Kg
Working Temperature Range	-25°C to 55°C
Lens Colour	Amber



APPROVALS



ORDERING INFORMATION

Catalogue number	4784 AT-BCN-A LED Beacon, Amber Lens, 230Vac, 119mm High (other voltages/colours available)
	4785 AT-BCN/SND-A LED Sounder/Beacon, Amber Lens, 80db Piezo Sounder, 230Vac, 119mm High (other voltages/colours available)

other colours and voltages available to special order

ANCILLARY PRODUCTS

4787 AT-BEACON-LED-CAGE 170mm High Cage Guard for use with 4784, 4785 & 4786 Beacon/Sounders

4788 AT-BEACON-LED-BRACKET Right Angled Bracket for use with 4784, 4785 & 4786 Beacon/Sounders

Important: All information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Aquilar Limited makes no warranty as to the accuracy or completeness of the information, and disclaims any liability regarding its use. The only obligations of Aquilar Limited are those in the Aquilar Standard Terms and Conditions of Sale for this product, and in no case will Aquilar Limited be liable for any incidental, indirect, or consequential damages arising from the sale, resale, use or misuse of the product. Specifications are subject to change without notice. In addition, Aquilar Limited reserves the right to make changes – without notification to Buyer – to processing or materials that do not affect compliance with any applicable specification.

AquiTron is a trademark of **AquiTron Limited**
Aquilar is a trademark of **Aquilar Limited**

Unit 30, Lawson Hunt Industrial Park,
 Broadbridge Heath, Horsham, West Sussex,
 RH12 3JR

+44 (0) 1403 216100

info@aquilar.co.uk

www.aquilar.co.uk