# AquiTron | AT-EIC Ethernet Interface Controller
















# AT-EIC Ethernet Interface Controller

The AT-EIC is a multifunctional device for remote monitoring of any AquiTron or TraceTek leak detection system. Designed to work in IP- based networks and managed by a WEB interface or SNMP programs.

#### **FEATURES**

- 10 Mbit Ethernet connectivity
- Password protected web based configuration and control
- 2 digital inputs, 2 analog inputs, 1 temperature sensor input
- Two 3A/24V relay outputs
- SNMP v.1, SMTP, ICMP, VLAN support
- Sending SNMP Traps messages under certain conditions
- Sending E-mail messages under certain conditions
- Relay restart on ping/echo timeout
- MAC Address filtering
- Remote FTP firmware update



#### **TECHNICAL INFORMATION**

Supply Voltage	12Vdc (PSU Included)
Weight	120g
Dimensions	75mm x 50mm x 18mm
Operating Temperature	0 – 40°C
Storage Temperature	-40 - 85°C
Analog Input Range	Ain1 - 0 - 20 Vdc Ain2 - 0 - 100 Vdc
Minimum High Level Input Voltage	2.5V
Maximum High Level Input Voltage	0.8V
Maximum Input Voltage For Digital Inputs	5.5V

- Unit 30, Lawson Hunt Industrial Park,

  Broadbridge Heath, Horsham, West Sussex,
  RH12 3IR
- +44 (0) 1403 216100
- www.aquilar.co.uk





Maximum Switchable Current (at 220V) 3A

Maximum Switchable

250VAac/ 110Vdc

Voltage

## **APPROVALS**


EN 61010-1:2010 EN 55022:2010 EN55024:2010 EN 61000-3-2:2006+A1:2009+A2:2009 EN61000-3-3:2008

#### **ORDERING INFORMATION**

**Catalogue number** 3785 AT-EIC Ethernet Interface Controller, complete with

230vac plug in PSU

## **CONFIGURATION EXAMPLES**



Unit 30, Lawson Hunt Industrial Park, Broadbridge Heath, Horsham, West Sussex, RH12 3IR

+44 (0) 1403 216100

www.aquilar.co.uk





Important: All information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Aquilar Limited makes no warranty as to the accuracy or completeness of the information, and disclaims any liability regarding its use. The only obligations of Aquilar Limited are those in the Aquilar Standard Terms and Conditions of Sale for this product, and in no case will Aquilar Limited be liable for any incidental, indirect, or consequential damages arising from the sale, resale, use or misuse of the product. Specifications are subject to change without notice. In addition, Aquilar Limited reserves the right to make changes – without notification to Buyer – to processing or materials that do not affect compliance with any applicable specification.

AquiTron is a trademark of AquiTron Limited Aquilar is a trademark of Aquilar Limited